


Report

Design Simulator



Select "Report"



Change to report initial screen

The screenshot shows the 'Report' software interface. The top navigation bar includes buttons for 'Indoor unit', 'Outdoor unit', 'Piping', 'Wiring', 'Control', 'Report', and 'Menu'. The 'Report' button is highlighted. Below the navigation bar, there are sections for 'Project' and 'Select'. The 'Project' section contains a table with columns for Item, Model, Quantity, Type, Remarks1, and Remarks2. The 'Select' section has radio buttons for 'Material list', 'Option 1', 'Indoor unit', and 'Outdoor unit'. The 'Material list' radio button is selected.

Item	Model	Quantity	Type	Remarks1	Remarks2
Outdoor	AJY162LALH	1	VII Heat pump		
Indoor	ABYA30LATH	1	Celling		
Indoor	AUXB07LALH	1	Compact cassette		
Indoor	AUXB14LALH	7	Compact cassette		
Indoor	AUXD24LALH	1	Cassette		
Remote controller	UTY-RNKY	8	Wired RC		
Remote controller	UTY-RSKY	1	Simple RC (with master co..		
Options	UTG-UGYA-W	1	GRILLE KIT		
Options	UTG-UFYC-W	8	GRILLE KIT		
Options	UTR-YD2B	1	AIR OUTLET SHUTTER P..		
branch kit	URT-BP180X	4	Separation tube		
branch kit	URT-BP090X	5	Separation tube		
branch kit	UTR-CP567X	1	Outdoor unit branch kit		
Pipe	2858	50		Unit: m	Total pipe length:
Pipe	12.70	81.0		Unit: m	Total pipe length:
Pipe	15.88	150		Unit: m	Total pipe length:
Pipe	2222	160		Unit: m	Total pipe length:

Material list

Report

File Preference Tool Help Update District : Europe

Indoor unit Outdoor unit Piping Wiring Control Report Menu

Project

Select

Material list Indoor unit Outdoor unit Option 1

Option 2 User options(Project) User options(Refrigerant) Output

Item	Model	Quantity	Type	Remarks1	Total pipe length:
Outdoor	AJYA90LALH	1	VII Heat pump		
Indoor	AUXB07GALH	1	Compact cassette		
Indoor	AUXB14GALH	1	Compact cassette		
Indoor	AUXD24GALH	1	Cassette		
Indoor	ABYA30GATH	1	Ceiling		
Remote controller	UTY-RNRY	4	Wired RC(Touch)		
Option (Indoor item)	UTG-UFYC-W	2	Cassette Grille		
Option (Indoor item)	UTG-UGYA-W	1	Cassette Grille		
Options	UTD-RF204	1	Flange(Round)		
Options	UTR-DPB24T	1	Drain pump unit		
Options	UTY-XWZXZD	1	External connect kit(XWZXZD)		
Branch kit	UTP-AX054A	2	Separation tube		
Branch kit	UTP-AX090A	1	Separation tube		
Pipe	6.35	0.0		Unit: m	Total pipe length:
Pipe	9.52	0.0		Unit: m	Total pipe length:
Pipe	12.70	0.0		Unit: m	Total pipe length:
Pipe	15.88	0.0		Unit: m	Total pipe length:

Select "Material list"

It is possible to confirm the data

All material list
Specifications of indoor units
Specifications of outdoor units
Specifications of Remote controller
Specifications of pipe
All optional parts

Indoor unit

The screenshot shows the 'Report' software interface. The 'Indoor unit' button is selected in the top navigation bar. In the 'Select' section, the 'Indoor unit' radio button is selected and circled in red. Below this, a table displays the specifications for four indoor units. The table has columns for Name, Image, Model, RC C (kW), RCH (kW), Tmp C (C) (WBT), Rq TC (kW), TC (kW), Rq SC (kW), SC (kW), and Tmp H (C). The data rows are as follows:

Name	Image	Model	RC C (kW)	RCH (kW)	Tmp C (C) (WBT)	Rq TC (kW)	TC (kW)	Rq SC (kW)	SC (kW)	Tmp H (C)
Indr1		ABYA30GATH	9.0	10.0	27.0/19.0	0.5	9.0	0.5	7.1	20.0
Indr2		AUXB07GALH	2.2	2.8	27.0/19.0	0.5	2.2	0.5	1.8	20.0
Indr3		AUXB14GALH	4.5	5.0	27.0/19.0	0.5	4.5	0.5	3.2	20.0
Indr4		AUXD24GALH	7.1	8.0	27.0/19.0	0.5	7.1	0.5	5.6	20.0

Select "Indoor unit"

Specifications of indoor units

Outdoor unit

The screenshot shows the 'Report' window in the Design Simulator. The 'Outdoor unit' button is selected in the top navigation bar. In the 'Project' section, the 'Outdoor unit' radio button is selected and circled in red. Below this, a table displays the specifications for the selected outdoor unit.

Image	Model	Combination	EER	COP	Comb (%)	RC C (kW)	RC H (kW)	Tmp C (C)	TC (kW)	Tmp H (C)	HC (kW)
	AJYA90LALH		3.62	4.02	81.4	28.0	31.5	35.0	22.8	7.0	25.8

Select "Outdoor unit"

Specifications of indoor units

Option 1

Report

File Preference Tool Help Update District : Europe

Indoor unit Outdoor unit Piping Wiring Control Report Menu

Project Select

Material list Indoor unit Outdoor unit Option 1 User options(Project) User options(Refrigerant) Output

Project: Otdr1

Unit	Item	Model	Quantity	Type	Remarks1
Indr1	Remote controller	UTY-RNRY	1	Wired RC(Touch)	
Indr1	Options	UTD-RF204	1	Flange(Round)	
Indr1	Options	UTR-DPB24T	1	Drain pump unit	
Indr1	Options	UTY-XWZXZD	1	External connect kit(XWZXZD)	
Indr2	Remote controller	UTY-RNRY	1	Wired RC(Touch)	
Indr2	Option (Indoor item)	UTG-UFYC-W	1	Cassette Grille	
Indr3	Remote controller	UTY-RNRY	1	Wired RC(Touch)	
Indr3	Option (Indoor item)	UTG-UFYC-W	1	Cassette Grille	
Indr4	Remote controller	UTY-RNRY	1	Wired RC(Touch)	
Indr4	Option (Indoor item)	UTG-UGYA-W	1	Cassette Grille	
	Branch kit	UTP-AX090A	1	Separation tube	
	Branch kit	UTP-AX054A	2	Separation tube	
	Pipe	6.35	0.0		Unit: m T
	Pipe	9.52	0.0		Unit: m T
	Pipe	12.70	0.0		Unit: m T
	Pipe	15.88	0.0		Unit: m T

Select "Option 1"

Output information of Option

Option 2

Report

File Preference Tool Help Update

District : Europe

Indoor unit Outdoor unit Piping Wiring Control Report Menu

Project

Select

Material list

Option 2

Indoor unit

Outdoor unit

Option 1

User options(Project)

User options(Refrigerant)

Output

Item	Model	Quantity	Type	HxWxD (mm)	Weight (lbs)
Controllers	UTY-APGX	1	System controller		
Controllers	UTY-APGXZ1	1	System controller		

Select "Option 2"

The items selected on Controller screen are output

User option(Project)

Report

File Preference Tool Help Update District : Europe

Indoor unit Outdoor unit Piping Wiring Control Report Menu

Project

Select

Indoor unit Outdoor unit Option 1

Material list User options(Project) User options(Refrigerant)

Option 2

Inside classification	Small classification	User option	Quantity
B1	bb1	DDD	1
B1	bb1	EEE	1

Select "User option(Project)"

User option(Refrigerant)

Report

File Preference Tool Help Update District: Europe

Indoor unit Outdoor unit Piping Wiring Control Report Menu

Project

Select

Material list Indoor unit Outdoor unit Option 1

Option 2 User options(Project) User options(Refrigerant) Option 1

Output

Inside classification	Small classification	User option
A1	A11	A112
A1	A11	A113 1

Select "User option(Refrigerant)"